


Инструкция

Горизонтальная тяга лежа Impulse HSP7051

Полезные ссылки:

[Горизонтальная тяга лежа Impulse HSP7051 - смотреть на сайте](#)



HSP7051

Prone High Row Bench

OWNER'S MANUAL

20V

CAUTION! Read all precautions and instructions in this manual before using this equipment.

Table Of Contents

CAUTION!

Read all precautions and instructions in this manual before using this equipment.

Important Safety Instructions-----	3
Instructions-----	5
Exploded View and Parts List-----	6
Measurement Guide-----	11
Assembly Instructions-----	12
Assembly-----	13
Adjust Instructions and Exercise Instructions-----	17
Maintenance Schedule-----	18
General Maintenance Information-----	19
Weight Training Tips-----	20

Important Safety Instructions

Before beginning any fitness program, you should obtain a complete physical examination from your physician. When using exercise equipment, basic precautions should always be taken, including the following:

1. Read all instructions before using the equipment.
These instructions are written to ensure your safety and to protect the unit.
2. Use the equipment only for its intended purpose as described in this guide.
Do not use accessory attachments that are not recommended by the manufacturer: such attachments might cause injuries.
3. The product should only be used on a level surface and is with 0.6 meters space around the product.
Do not use the equipment outdoors.
4. Do not allow children on or near the equipment. And children are not allowed to use this equipment.
Teenagers should use this equipment with adult supervision.
5. Do not overexert yourself or work to exhaustion.
Do not attempt to lift more weight than you can control safely.
If you feel any pain or abnormal symptoms, stop your workout immediately and consult your physician.
6. This equipment is not used as medical apparatus and instruments.
7. Never operate the unit when it has been dropped or damaged.
Never drop or insert anything into any opening in the equipment.
Always check the unit and its cables before each use. Make sure that all fasteners and cables are secure and in good working condition.
Frayed or worn cables can be dangerous and may cause injury. Periodically check these cables for any indication of wear.
Keep hands, limbs, loose clothing and long hair well out of the way of moving parts.
8. Be careful when getting on or off the equipment.
9. Wear proper exercise clothing and shoes for your workout, no loose clothing.


Important Safety Instructions

Personal Safety During Assembly

Read each step in the assembly instructions and follow the steps in sequence. Do not skip ahead. If you skip ahead, you may learn later that you have to disassemble components and that you may have damaged the equipment.

Assemble and operate the equipment on a solid, level surface. Locate the unit a few feet from walls or furniture to provide easy access. The equipment is designed for your enjoyment. By following these precautions and using common sense, you will have many safe and pleasurable hours of healthful exercise with the equipment.

Training Area and Free Area



Specifications

Class: S

Maximum Wt. Capacity: 200kg/ 440lbs

Maximum User Weight: 150kg/ 330lbs

Product Dimension: 2200*1789*1179mm

Product Total Surface: 2200*1900mm


Product Total Mass:

Instructions


Before beginning assembly please take the time to read instructions thoroughly. Please use the various lists in this manual to make sure that all parts have been included in your shipment. When ordering, use part number and description from the lists. Use only our replacement part when servicing. Failure to do so will void your warranty and could result in personal injury.

The equipment is designed to provide the smoothest, most effective exercise motion possible. After assembly, you should check all functions to ensure correct operation. If you experience problems, first recheck the assembly instructions to locate any possible errors made during assembly. If you are unable to correct the problem, call your authorized dealer. Be sure to have your serial number and this manual when calling. When all parts have been accounted for, continue on.


Tools Required




Ratchet Wrench and Socket




Adjustable Wrench



Rubber Mallet



Hex Key Wrench Set



Phillips Screwdriver


Exploded View and Parts List

Overall

ItemNo.	Grade No.	Part No.	Description	QTY
1	1	HSP705101ASSY	Front Stack Frame ASSY	1
2	2	HSP705102ASSY	Bottom Cross Frame ASSY	1
3	3	HSP70510300	Mid Support Frame	1
4	4	HSP705104ASSY	Main Frame ASSY	1
5	5	HSP705105ASSY	Back Support Frame ASSY	1
6	6	HSP705106ASSY	Foot Frame ASSY	1
7	7	HSP705107ASSY	Adjust Frame ASSY	1
8	8	HSP70512100	Axis $\Phi 19*136.0*M10$	1
9	9	HSP70512300	Special Barbell	1
10	10	HSP70515100	Head Pad	1
11	11	HSP70515200	Body Pad	1
12	12	IE950221ASSY	Short Foam $\Phi 140*182$	2
13	13	IE95029100	Plastic Spacer $\Phi 60*\Phi 26*12$	2
14	14	IE950716500	Stop Collar $\Phi 60*11.6$	2
15	15	IN-D10132300	Aluminum Cap $\Phi 43*\Phi 10.5*8$	2
16	16	GB70M10*75DHS20	Socket Head Cap Screw M10*75	8
17	17	GB70M12*75DHS20	Socket Head Cap Screw M12*75	2
18	18	GB70M12*80DHS20	Socket Head Cap Screw M12*80	8
19	19	GB9510DHS2	Flat Washer $\Phi 11*\Phi 20*2$	8
20	20	GB9512DHS2	Flat Washer $\Phi 13*\Phi 24*2.5$	25
21	21	NM12DHS2	Nylon Lock Nut M12	10
22	22	CNLM10*30*30DS20NL	Countersunk Hexagonal Screw M10*30	4
23	23	GB9312DHS12	Spring Washer $\Phi 12$	5
24	24	GB70M12*35*35DHS20NL	Socket Head Cap Screw M12*35	5
25	25	NBS6DHS	Hex Key S=6	1
26	26	NBS8DHS	Hex Key S=8	1
27	27	NBS10DHS	Hex Key S=10	1
28	28	LW200BS	Wrench $\Phi 6*117$	1

Exploded View and Parts List


Overall



Exploded View and Parts List

Front Stack Frame ASSY

Bottom Cross Frame ASSY




ItemNo.	Grade No.	Part No.	Description	QTY
1	1.1	HSP70510100	Front Stack Frame	1
2	1.2	HZ70013200	Plastic Safety Hook	2
3	1.3	CWRVL0051200	Foot Plate	2
4	1.4	HZ70012100	Axis $\Phi 12*30*M8$	10
5	1.5	PNLM8*12DHS20NL	Button Hed Cap Screw M8*12	20


ItemNo.	Grade No.	Part No.	Description	QTY
1	2.1	HSP70510200	Bottom Cross Frame	1
2	2.2	CWRVL0051200	Foot Plate	2

Exploded View and Parts List

Main Frame ASSY



Back Support Frame ASSY




ItemNo.	Grade No.	Part No.	Description	QTY
1	4.1	HSP70510400	Main Frame	1
2	4.2	KPSFID3000	Plug	2


ItemNo.	Grade No.	Part No.	Description	QTY
1	5.1	HSP70510500	Back Support Frame	1
2	5.2	HSP70512200ZH	Adjust Curved Plate	1
3	5.3	HVCORE5300	Φ19 Spacer	2
4	5.4	IN-S10111200	Rubber Sleeve Φ17*10.5	2
5	5.5	GB70M8*20DHS20	Socket Head Cap Screw M8*20	2
6	5.6	GB70M10*70DHS20	Socket Head Cap Screw M10*70	2
7	5.7	GB9510DHS2	Flat Washer Φ11*Φ20*2	4
8	5.8	GB958DHS2	Flat Washer Φ9*Φ16*1.6	2
9	5.9	NM8DHS2	Nylon Lock Nut M8	2
10	5.10	NM10DHS2	Nylon Lock Nut M10	2
11	5.11	VLP8000	Plug	1

Exploded View and Parts List

Foot Frame ASSY




Adjust Frame ASSY



ItemNo.	Grade No.	Part No.	Description	QTY
1	6.1	HSP70510600	Foot Frame	1
2	6.2	L050PB1800	Foot Pad	1
3	6.3	KPSFID3000	Plug	2

ItemNo.	Grade No.	Part No.	Description	QTY
1	7.1	HSP70510700	Adjust Frame	1
2	7.2	IF81165000	Lock Nut $\Phi 25*2.5*21.6*M10$	2
3	7.3	ST70131700	Pin	1

Measurement Guide



Diameter of bolt (mm/inch)	M6(1/4")	M8(5/16")	M10(3/8")	M12(1/2")	M16(5/8")
Tightening torque (N.m)	9~12	22~30	45~59	78~104	193~257
Operational methods for adult men	The strength of the wrist	The strength of the wrist and forearm	The strength of the entire arm	The strength of the arm and upper body	with all strength

Assembly Instructions

Assembly of the equipment takes professional installers about 2 hours. If this is the first time you have assembled this type of equipment, plan to spend more time. It is strongly recommended to assemble the equipment by professional installers. You may find it quicker, safer, easier to assemble this equipment with the help of a friend, as some of components may be large, heavy or awkward to handle alone. It is important that you assemble your product in a clean, clear, uncluttered area. This will enable you to move around the product while you are fitting components and reduce the possibility of injury during assembly.

NOTE

As with any assembled part, proper alignment and adjustment is critical. While tightening the fasteners, be sure to leave room for adjustments. Do not fully tighten the fasteners until instructed to do so. Be careful to assemble the components in the sequence presented in this guide.

Assembly

STEP 1

Assemble the Front Stack Frame ASSY (#1), the Bottom Cross Frame ASSY (#2), the Mid Support Frame (#3) and the Main Frame ASSY (#4) together, using:

eight M12*80 SHCS (#18)


eighteen $\Phi 13*\Phi 24*2.5$ Flat Washer (#20)

eight M12 Nylon Lock Nut (#21)

two $\Phi 12$ Spring Washer (#23)

two M12*35 SHCS (#24)

Note: Wrench tighten bolts and nylon lock nuts.




Assembly

STEP 2

1. Attach the Back Support Frame ASSY (#5) to the Bottom Cross Frame ASSY (#2), using:
 - two $\Phi 13*\Phi 24*2.5$ Flat Washer (#20)
 - two $\Phi 12$ Spring Washer (#23)
 - two M12*35 SHCS (#24)
2. Attach the Foot Frame ASSY (#6) to the Bottom Cross Frame ASSY (#2) and the Back Support Frame ASSY (#5), using:
 - two M12*75 SHCS (#17)
 - five $\Phi 13*\Phi 24*2.5$ Flat Washer (#20)
 - two M12 Nylon Lock Nut (#21)
 - one $\Phi 12$ Spring Washer (#23)
 - one M12*35 SHCS (#24)

Note: Wrench tighten bolts and nylon lock nuts.




Assembly

STEP 3

Attach the Adjust Frame ASSY (#7) to the Back Support Frame ASSY (#5), using:
one $\Phi 19 \times 136.0 \times M10$ Axis (#8)
two $\Phi 43 \times \Phi 10.5 \times 8$ Aluminum Cap (#15)
two M10*30 CHS (#23)

Note: The pin in the Adjust Frame ASSY must be inserted into the holes on the Back Support Frame ASSY.




Assembly

STEP 4

1. Attach the Head Pad (#10) and the Body Pad (#11) to the Main Frame ASSY (#4), using:
eight M10*75 SHCS (#16)
eight $\Phi 11 \times \Phi 20 \times 2$ Flat Washer (#19)
2. Attach the two Short Foam (#12) to the Adjust Frame ASSY (#7), using:
two $\Phi 60 \times \Phi 26 \times 12$ Plastic Spacer (#13)
two $\Phi 60 \times 11.6$ Stop Collar (#14)
two M10*30 CHS (#22)

STEP 5

Put the Special Barbell (#9) on the Front Stack Frame ASSY (#1).



Adjust Instructions and Exercise Instructions

The FOAM Height Adjustment


1. Pull the Pin and adjust the FOAM to the desired position.
2. Make sure the pin gets into the hole completely.

Weight Plate Installation Requirements

1. Please use Olympic weight Plate which hole is greater than $\Phi 50\text{mm}$ and external diameter is less than $\Phi 450\text{mm}$.
2. The total weight of one side can't be greater than 100kg.
3. This equipment doesn't contains Weight Plate and Spring Clamp Collar clips.

Instructions

1. Install the barbell plates on both ends of the bar and secure them.
2. Adjust the FOAM to suit your needs.
3. Face down toward the hole in the Head Pad, Stretch your body flat, Legs under the FOAM, Grab the barbell bar and pull up.



Maintenance Schedule

ROUTINE	COMMERCIAL MAINTENANCE	HOME MAINTENANCE	LATEST DATE ENTRY					
Inspect; Links, Pull Pins, Snap Locks, Swivels, Weight Stack Pins	DAILY	WEEKLY						
Clean; Upholstery	DAILY	WEEKLY						
Inspect; Cables or Belts and their tension	DAILY	WEEKLY						
Inspect; Accessory Bars, and Handles	WEEKLY	3 MONTHS						
Inspect; All Decals	WEEKLY	3 MONTHS						
Inspect; All Nuts and Bolts, Tighten if needed	WEEKLY	3 MONTHS						
Inspect; Anti-Skid Surface	WEEKLY	3 MONTHS						
Clean & Lubricate; Guide Rods with a Teflon (PTFE) based lubricant (Superlube)	MONTHLY	3 MONTHS						
Lubricate; Seat Sleeves, Turcite Bushings, Linear Bearing	MONTHLY	3 MONTHS						
Clean and Wax; All Glossy Finishes	6 MONTHS	YEARLY						
Repack with Grease; Linear Bearings	6 MONTHS	YEARLY						
Replace; Cables, Belts and Connecting Parts	YEARLY	3 YEARS						

Your equipment comes with a commercial maintenance decal. For personal, in home use, please follow the home maintenance schedule listed above.

General Maintenance Information

Links, Pull-Pins, Snap Hooks, Swivels, Weight Stack Pins:

- * Check all pieces for signs of visible wear or damage.
- * Check springs in snap hooks and pull-pins for proper tension and alignment.
- * If the spring sticks or has lost its rigidity, replace it immediately.

Upholstery:

- * To ensure prolonged upholstery life and proper hygiene, all upholstered pads should be wiped down with a damp cloth after every workout.
- * Periodically take the time to use a mild soap or an approved vinyl upholstery cleaner to deter the onset of cracking or drying. Avoid using any abrasive cleaners or cleaners not intended for use on vinyl.
- * Replace ripped or worn upholstery immediately.
- * Keep sharp or pointed objects clear of all upholstery.

Decals:

- * Inspect and familiarize yourself with any safety warnings or other user information posted on each decal.

Nuts and Bolts:

- * Inspect all nuts and bolts for any loosening and tighten if needed.
- * Go through a re-tightening sequence periodically to ensure that all hardware is tensioned proper.

Anti-Skid Surfaces:

- * These surfaces are designed to supply secure footing and need to be replaced if they appear worn or become slippery.

Belts and Cables:

- * We use only high quality belt, and mil-spec cables.
- * Visually inspect the belts and cables for fraying, cracking, peeling or discoloration.
- * While the machine is not in use, carefully run your fingers along the belt or cable to feel for thinning or bulging areas.
- * Replace belts and cables immediately at the first signs of damage or wear. Do not use equipment until belts or cables have been replaced.

Belt and Cable Tension:

- * Referring to the Owners Manual, when belts or cables are used check all bolt attachments to be sure they are properly attached.
- * Check slack in cables and re-adjust cable tension if needed.

Seat Sleeves, Guide Rods:

- * Wipe down adjusting tubes with a dust free rag before applying lubricant.
- * Lubricate seat sleeves and Guide Rods with a Silicon or Teflon based lubricant spray.

Linear Bearings:

- * Referring to the Owners Manual carefully disassemble the bearing from its housing and place a finger full of light grease (lithium, super lube, etc.) into the inside of the bearing. Using your finger, press the grease into the ball-bearings and their tracks. Repeat until the ball-bearing tracks are full of grease. Insert the shaft back into the bearing and wipe off excess grease.

PLEASE KEEP THIS FOR YOUR RECORDS

Weight Training Tips

Use this manual to guide you through the basic exercises you can perform on your equipment. To gain maximum results and avoid possible injury, consult a fitness professional to develop your complete exercise program.

Always consult your physician before starting any exercise program.

To be successful in your exercise program, it is important to develop an understanding of the basic principles of strength training. Now that you have your equipment, it is only natural that you want to get started immediately. First, determine a set of realistic goals and objectives for yourself. By deciding on an exercise plan that is right for you prior to starting, you will contribute significantly to your success.

Warm up properly before engaging in weight resistance training. Stretching, yoga, jogging, calisthenics or other cardiovascular exercise can help prepare your body for the heavier workload of lifting weights.

Learn how to perform the exercise correctly before using heavy weight. Correct form is important to avoid injury and to ensure that you work the proper muscle groups.

Know your limitations. If you are new to weight training or are embarking on an exercise regimen after a long layoff, start slowly and build foundational strength over a longer period of time.

Pay attention to your breathing. Exhale when you exert is a general rule of thumb. Never hold your breath.

